

新田原飛行場周辺の航空機騒音状況

令和7年4月

No.	測定地点場所		1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日
No.1	鬼付女地区	WECPNLの値	77.7	83.8	78.7	79.5	46.9	45.1	77.6	68.5	76.6	69.5	77.9	49.1	49.8	69.6	74.5	77.1	75.6	74.1	45.6	48.9	80.7	78.5	79.1	80.7	0.0	68.7	53.8	51.3	49.7	49.4
		Ldenの値	64.8	70.3	66.0	66.8	47.7	48.5	64.9	56.2	63.1	56.0	65.7	51.2	50.8	56.5	60.5	62.4	60.5	63.4	46.6	50.4	67.6	64.4	65.7	67.3	0.0	55.5	39.1	35.0	36.0	33.0
		騒音発生回数	68	87	68	71	1	1	81	80	28	54	36	6	7	40	108	124	105	53	3	2	70	47	83	70	0	12	1	0	1	1
No.2	新馬場地区	WECPNLの値	機器故障等の為、不測																													
		Ldenの値																														
		騒音発生回数																														
No.3	末永地区	WECPNLの値	機器故障等の為、不測																													
		Ldenの値																														
		騒音発生回数																														
No.4	西畦原地区	WECPNLの値	61.0	61.3	60.6	56.9	-	45.0	59.7	59.3	55.5	53.4	54.6	-	-	60.5	64.5	63.0	63.3	61.5	-	-	62.4	49.2	55.6	51.4	46.3	-	44.1	-	57.7	-
		Ldenの値	47.1	49.2	44.9	44.6	-	27.7	43.9	44.9	40.7	43.5	39.9	-	-	45.5	49.2	49.6	48.7	48.1	-	-	50.5	30.5	43.6	37.1	30.4	-	29.3	-	42.6	-
		騒音発生回数	8	16	9	13	0	1	8	6	4	5	5	0	0	4	11	9	14	10	0	0	12	1	8	3	2	0	1	0	1	0
No.5	湯風呂地区	WECPNLの値	60.9	67.3	67.0	66.7	-	-	66.8	66.6	62.4	70.0	60.6	-	-	63.3	66.6	65.9	68.2	64.1	-	-	69.5	59.4	62.5	64.1	67.9	50.9	-	-	-	-
		Ldenの値	51.2	55.0	54.4	54.0	-	-	52.5	52.3	49.6	58.4	49.8	-	-	49.6	53.8	52.8	56.1	51.2	-	-	57.1	49.6	50.2	52.2	54.1	39.9	-	-	-	-
		騒音発生回数	9	49	35	36	0	0	38	36	10	15	17	0	0	15	30	48	35	22	0	0	32	7	25	25	14	1	0	0	0	0

		最高デジベル数	騒音発生回数	1日平均騒音発生回数	W値平均
		(db)			月平均
No.1	鬼付女地区	99.3	1,308	43.6	－
No.2	新馬場地区				
No.3	末永地区				
No.4	西畦原地区	86.6	151	5.0	58.1
No.5	湯風呂地区	92.6	499	16.6	64.2

新田原飛行場周辺の航空機騒音状況

令和7年5月

No.	測定地点場所		1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日
No.1	鬼付女地区	WECPNLの値	77.7	83.8	78.7	79.5	46.9	45.1	77.6	68.5	76.6	69.5	77.9	49.1	49.8	69.6	74.5	77.1	75.6	74.1	45.6	48.9	80.7	78.5	79.1	80.7		68.7	53.8	51.3	49.7	49.4
		Ldenの値	64.8	70.3	66.0	66.8	47.7	48.5	64.9	56.2	63.1	56.0	65.7	51.2	50.8	56.5	60.5	62.4	60.5	63.4	46.6	50.4	67.6	64.4	65.7	67.3		55.5	39.1	35.0	36.0	33.0
		騒音発生回数	68	87	68	71	1	1	81	80	28	54	36	6	7	40	108	124	105	53	3	2	70	47	83	70		12	1	0	1	1
No.2	新馬場地区	WECPNLの値	機器故障等の為、不測																													
		Ldenの値																														
		騒音発生回数																														
No.3	末永地区	WECPNLの値	機器故障等の為、不測																													
		Ldenの値																														
		騒音発生回数																														
No.4	西畦原地区	WECPNLの値	-	-	43.3	-	-	-	59.5	61.6	-	-	-	63.0	59.1	-	46.3	-	-	-	50.8	-	60.1	64.8	51.6	-	-	51.7	53.9	56.3	54.0	50.5
		Ldenの値	-	-	27.5	-	-	-	45.5	47.9	-	-	-	48.8	43.3	-	28.6	-	-	-	36.4	-	42.4	51.4	38.8	-	-	40.4	42.2	43.5	42.1	41.9
		騒音発生回数	0	0	1	0	0	0	10	20	0	0	0	16	9	0	2	0	0	0	2	0	2	15	3	0	0	5	5	6	4	3
No.5	湯風呂地区	WECPNLの値	44.2	-	49.9	-	-	-	66.1	71.7	-	-	-	69.4	67.6	59.7	-	43.1	43.4	-	46.3	49.9	-	67.6	60.9	-	-	58.0	64.1	61.8	57.3	55.9
		Ldenの値	30.3	-	36.9	-	-	-	53.1	57.0	-	-	-	55.0	53.8	47.6	-	26.9	25.6	-	28.1	37.0	-	53.1	47.4	-	-	45.9	50.2	47.7	43.6	43.1
		騒音発生回数	1	0	2	0	0	0	41	68	0	0	0	48	30	13	0	1	1	0	1	1	0	31	17	0	0	15	29	21	9	9

		最高デジベル数	騒音発生回数	1日平均騒音発生回数	W値平均
		(db)			月平均
No.1	鬼付女地区	99.2	910	29.4	—
No.2	新馬場地区				
No.3	末永地区				
No.4	西畦原地区	83.0	103	3.3	55.4
No.5	湯風呂地区	90.5	338	10.9	61.8

新田原飛行場周辺の航空機騒音状況

令和7年6月

No.	測定地点場所		1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日
No.1	鬼付女地区	WECPNLの値	54.3	64.3	76.5	80.9	78.7	75.7	48.2	54.7	53.9	48.7	56.7	80.3	79.6	60.0	46.4	75.6	82.8	79.2	78.6	51.3	48.5	60.0	47.5	49.4	78.1	78.4	74.8	47.4	42.6	79.1
		Ldenの値	48.3	53.2	62.4	66.1	64.4	62.5	50.1	53.4	56.3	54.8	55.7	67.2	65.5	50.3	51.4	61.0	71.6	64.7	66.6	58.2	46.9	58.6	51.2	47.6	63.8	64.8	62.2	49.6	51.8	66.2
		騒音発生回数	7	13	60	78	37	28	6	19	40	3	18	66	80	4	7	134	144	102	77	37	2	224	24	4	84	31	26	2	7	66
No.2	新馬場地区	WECPNLの値	機器故障等の為、不測																													
		Ldenの値																														
		騒音発生回数																														
No.3	末永地区	WECPNLの値	機器故障等の為、不測																													
		Ldenの値																														
		騒音発生回数																														
No.4	西畦原地区	WECPNLの値	-	55.4	43.9	55.3	54.5	55.6	-	-	-	43.1	44.4	53.4	55.4	74.1	-	67.6	68.6	59.2	53.9	-	43.8	-	-	48.6	64.6	59.3	56.3	-	-	60.3
		Ldenの値	-	42.6	28.6	44.7	41.2	42.8	-	-	-	30.3	33.2	38.5	40.7	58.3	-	51.5	52.2	45.8	41.6	-	26.0	-	-	35.7	50.6	47.9	44.9	-	-	46.0
		騒音発生回数	0	5	1	5	4	5	0	0	0	1	1	5	5	1	0	14	15	4	5	0	1	0	0	2	18	6	7	0	0	10
No.5	湯風呂地区	WECPNLの値	0.0	53.2	57.6	64.0	59.4	59.1	0.0	0.0	0.0	51.1	58.7	66.8	64.4	65.6	0.0	70.3	69.7	64.6	64.3	0.0	45.6	0.0	0.0	54.2	70.7	66.1	61.9	0.0	0.0	67.0
		Ldenの値	0.0	40.0	44.6	50.0	46.1	45.7	0.0	0.0	0.0	41.1	46.8	54.7	50.9	52.8	0.0	56.0	55.3	51.8	51.2	0.0	26.8	0.0	0.0	40.3	58.3	54.0	50.4	0.0	0.0	53.5
		騒音発生回数	0	5	11	33	17	16	0	0	0	1	5	19	33	2	0	61	57	28	35	0	1	0	0	4	49	23	21	0	0	45

		最高デジベル数	騒音発生回数	1日平均騒音発生回数	W値平均
		(db)			月平均
No.1	鬼付女地区	106.5	1,430	47.7	75.7
No.2	新馬場地区				
No.3	末永地区				
No.4	西畦原地区	101.1	115	3.8	62.0
No.5	湯風呂地区	92.0	466	15.5	63.4

新田原飛行場周辺の航空機騒音状況

上段 : WECPNLの値
中段 : Ldenの値
下段 : 騒音発生回数

令和7年7月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	44.3	46.2	80.8	76.3	36.5	0.0	80.5	82.3	78.4	50.3	45.1	49.6	36.5	74.4	75.2	74.1	75.2	47.1	36.5	41.7
		52.3	53.3	68.3	63.9	53.4	51.1	65.8	68.8	65.5	60.2	56.6	57.1	55.5	60.3	60.9	62.7	63.9	57.4	53.7	54.6
		0	1	120	58	3	1	76	77	58	22	12	4	5	56	89	37	34	12	5	3
No. 2	新馬場地区	機器故障等のため不測																			
No. 3	末永地区	機器故障等のため不測																			
No. 4	西畦原地区	-	-	56.0	55.1	-	-	62.3	61.0	58.5	-	-	-	-	58.0	61.5	-	54.4	-	-	-
		-	-	43.1	42.8	-	-	46.4	47.7	45.7	-	-	-	-	43.2	45.0	-	39.6	-	-	-
		0	0	8	5	0	0	10	13	10	0	0	0	0	10	8	0	3	0	0	0
No. 5	湯風呂地区	-	-	66.1	58.8	-	-	67.0	64.7	59.7	-	-	-	-	67.4	69.7	61.6	60.0	-	-	-
		-	-	58.1	46.1	-	-	54.9	53.7	47.9	-	-	-	-	54.4	58.2	49.3	47.0	-	-	-
		0	0	36	17	0	0	40	37	17	0	0	0	0	24	28	12	5	0	0	0

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日	最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	42.4	82.1	82.5	78.9	78.6	47.6	49.0	82.2	79.6	80.9	81.3	99.7	1295	41.8	77.2
		53.2	68.6	69.2	66.3	65.6	57.0	54.8	67.9	66.6	67.2	67.5				
		1	84	80	62	46	16	12	81	98	75	67				
No. 2	新馬場地区	機器故障等のため不測											-	-	-	-
No. 3	末永地区	機器故障等のため不測											-	-	-	-
No. 4	西畦原地区	-	60.0	64.9	54.2	-	-	-	60.9	51.9	54.6	55.7	90.3	103	3.3	56.3
		-	45.1	51.6	42.7	-	-	-	42.7	39.7	39.5	43.9				
		0	10	4	4	0	0	0	5	4	4	5				
No. 5	湯風呂地区	-	66.9	67.8	63.4	60.8	-	-	67.5	63.9	63.3	60.4	90.2	431	13.9	62.6
		-	54.0	54.9	52.1	48.4	-	-	54.3	52.1	51.3	50.0				
		0	32	38	15	8	0	0	41	28	35	18				

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和7年8月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	78.8	44.0	53.7	80.2	75.4	51.8	80.2	67.6	65.3	56.5	50.1	46.3	48.9	63.8	62.6	45.3	48.0	71.0	77.3	74.6
		65.6	57.3	55.8	65.1	61.6	54.5	63.4	57.5	62.0	56.6	54.0	54.1	65.6	66.4	66.7	53.3	56.2	60.8	64.6	61.9
		58	4	15	90	93	5	47	25	38	27	5	4	98	135	79	10	6	19	59	78
No. 2	新馬場地区	機器故障等のため不測																			
No. 3	末永地区	機器故障等のため不測																			
No. 4	西畦原地区	60.8	-	-	69.7	67.9	53.9	50.0	56.7	-	-	-	-	-	-	-	-	44.3	60.3	66.5	65.9
		48.2	-	-	55.3	55.3	40.7	38.4	43.5	-	-	-	-	-	-	-	-	30.8	47.5	53.3	51.5
		22	0	0	54	34	5	1	3	0	0	0	0	0	0	0	0	1	14	33	31
No. 5	湯風呂地区	60.6	-	-	69.3	67.6	53.9	50.0	56.7	-	-	-	-	-	-	-	-	44.3	60.3	64.3	65.5
		48.0	-	-	54.6	5.1	40.7	38.4	43.5	-	-	-	-	-	-	-	-	30.8	47.5	51.1	51.1
		21	0	0	46	28	5	1	3	0	0	0	0	0	0	0	0	1	14	21	25

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日	最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	79.9	74.7	57.4	46.3	80.2	78.0	74.9	76.9	76.9	50.5	41.9	103.3	1522	49.1	74.4
		67.9	61.9	49.9	50.7	67.7	65.8	63.5	64.5	64.3	63.2	46.0				
		96	68	12	4	68	86	43	74	68	107	1				
No. 2	新馬場地区	機器故障等のため不測											-	-	-	-
No. 3	末永地区	機器故障等のため不測											-	-	-	-
No. 4	西畦原地区	71.3	62.7	-	45.5	64.8	65.0	68.1	63.3	65.5	47.8	-	95.0	473	15.3	62.9
		55.8	49.9	-	30.8	51.3	51.5	52.7	50.1	51.1	32.9	-				
		44	29	0	1	46	41	25	36	51	2	0				
No. 5	湯風呂地区	67.4	61.9	-	45.5	64.2	64.3	65.5	62.8	65.0	47.8	-	88.1	393	12.7	61.6
		53.2	49.4	-	30.8	50.8	50.7	50.1	49.7	50.1	32.9	-				
		38	4	0	1	38	32	20	32	41	2	0				

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和7年9月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	77.9	75.0	74.5	50.9	51.8	46.9	47.9	69.0	76.9	60.6	79.2	77.3	48.1	46.6	48.3	79.3	80.6	74.8	76.3	45.8
		64.8	62.9	61.9	60.0	49.1	50.8	49.0	57.7	62.6	52.3	66.3	65.1	49.2	47.9	47.5	67.2	64.9	60.9	63.9	51.2
		56	47	39	45	7	5	2	93	45	18	53	62	10	2	1	48	84	106	40	9
No. 2	新馬場地区	機器故障等のため不測																			
No. 3	末永地区	機器故障等のため不測																			
No. 4	西畦原地区	61.8	57.8	48.9	-	50.6	-	-	62.2	58.1	55.8	54.5	59.0	-	-	-	59.4	56.5	58.6	52.5	-
		48.7	43.5	5.4	-	36.6	-	-	45.4	44.9	39.2	43.1	46.4	-	-	-	47.1	44.8	42.4	39.6	-
		12	3	1	0	3	0	0	8	11	5	7	4	0	0	0	7	7	8	2	0
No. 5	湯風呂地区	62.9	66.7	58.4	-	54.1	-	-	65.9	64.1	58.0	66.7	65.5	-	-	-	65.6	67.0	66.3	61.4	44.8
		50.6	52.8	45.8	-	41.7	-	-	49.9	5.9	42.1	53.1	52.2	-	-	-	52.0	52.0	51.9	48.2	27.7
		26	21	10	0	6	0	0	28	23	5	30	27	0	0	0	41	22	50	18	1

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日	最高デジベル数 (db)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	45.5	74.7	45.6	52.3	77.7	54.7	44.9	45.8	75.2	79.7	0.0	103.1	1096	36.5	74.3
		48.3	62.7	49.7	58.2	64.8	52.1	49.4	48.0	60.9	66.9	0.0				
		4	19	2	18	87	10	1	6	109	68	0				
No. 2	新馬場地区	機器故障等のため不測											-	-	-	-
No. 3	末永地区	機器故障等のため不測											-	-	-	-
No. 4	西畦原地区	43.8	-	-	45.3	59.4	-	-	54.5	60.9	52.6	-	85.1	101	3.4	55.6
		26.3	-	-	30.4	45.5	-	-	35.6	45.9	39.3	-				
		1	0	0	1	6	0	0	1	12	2	-				
No. 5	湯風呂地区	-	59.3	50.4	-	69.8	44.7	49.9	-	64.0	61.9	-	92.3	404	13.5	62.4
		-	47.9	34.6	-	4.6	29.5	34.1	-	51.1	50.3	-				
		0	8	2	0	32	1	1	-	29	23	-				

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和7年10月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	80.8	79.5	79.9	47.8	68.8	82.1	82.9	81.0	80.4	78.3	43.1	51.6	44.2	78.0	78.7	72.6	79.6	48.6	46.6	83.3
		68.1	66.4	66.8	48.2	54.6	68.2	68.9	68.2	67.3	64.8	49.8	47.6	48.2	65.5	66.1	58.4	65.6	48.2	47.3	69.7
		79	63	43	7	5	93	93	76	67	48	5	4	3	76	54	88	71	2	4	97
No. 2	新馬場地区	73.4	71.2	71.9	37.8	51.4	73.4	73.2	69.3	70.1	70.8	42.8	45.2	35.5	75.0	75.0	68.1	70.0	34.7	39.4	73.9
		60.1	57.3	58.2	40.8	44.2	60.3	59.1	56.5	56.2	56.7	51.9	44.6	44.6	61.1	59.7	55.8	56.9	44.0	43.0	59.3
		95	77	62	0	3	111	101	66	59	44	6	0	0	88	66	49	84	0	0	115
No. 3	末永地区	73.7	68.9	69.6	43.1	44.4	77.7	70.0	68.1	67.8	69.8	43.4	43.5	41.1	71.2	70.7	69.9	70.9	52.1	39.7	71.5
		58.2	54.3	56.0	27.2	33.6	65.5	54.6	54.0	52.7	53.4	28.3	29.8	26.9	56.2	55.1	54.5	55.9	35.6	23.4	56.5
		77	67	53	0	1	81	67	47	43	34	0	0	0	67	48	51	64	2	0	85
No. 4	西畦原地区	56.9	58.6	57.2	-	-	58.0	58.1	57.8	57.9	56.3	-	-	-	63.4	53.3	57.7	57.1	-	-	62.2
		42.1	46.3	44.6	-	-	45.9	45.8	47.7	42.5	41.6	-	-	-	49.1	43.7	44.2	43.0	-	-	47.9
		6	3	4	0	0	9	6	13	7	4	0	0	0	14	4	6	5	0	0	13
No. 5	湯風呂地区	65.2	65.8	65.8	44.2	48.6	67.2	68.2	62.1	64.8	66.7	-	-	-	66.9	64.4	63.3	63.3	-	44.1	65.3
		53.2	51.1	52.3	30.7	37.1	54.5	53.9	49.9	52.4	52.2	-	-	-	54.9	52.1	49.5	50.3	-	25.7	52.3
		33	31	32	1	2	50	46	24	19	23	0	0	0	48	22	28	27	0	1	42

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日	最高デジベル数 (db)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	82.0	80.2	80.6	81.0	48.7	73.3	76.3	80.0	82.0	79.9	77.0	99.7	1608	51.9	78.9
		68.1	65.5	67.2	67.2	48.5	61.7	63.0	66.7	71.0	66.5	63.4				
		72	38	47	54	17	16	90	92	94	83	27				
No. 2	新馬場地区	76.0	72.0	68.0	68.9	40.1	60.5	73.7	72.8	73.5	72.3	67.9	99.7	1626	52.5	71.0
		61.3	57.9	56.3	55.7	53.7	53.2	59.5	59.6	61.2	59.1	55.7				
		68	28	36	49	0	6	94	90	90	103	36				
No. 3	末永地区	70.2	67.7	68.3	68.1	41.9	50.5	72.3	73.0	73.0	72.9	64.4	101.7	1259	40.6	69.9
		56.2	55.2	55.1	53.7	30.4	38.4	57.2	59.1	61.9	58.5	50.1				
		56	15	21	42	0	2	76	82	79	85	14				
No. 4	西畦原地区	58.6	57.0	55.2	56.4	-	-	52.9	61.9	59.4	58.4	55.3	86.7	158	5.1	57
		47.9	45.0	46.5	42.1	-	-	40.9	47.0	45.9	46.0	44.9				
		11	8	4	4	0	0	3	10	9	9	6				
No. 5	湯風呂地区	63.9	59.6	58.7	63.4	-	48.9	64.2	65.5	67.3	63.4	59.5	89.9	641	20.7	63.4
		51.5	48.9	49.4	49.7	-	41.8	51.6	52.1	54.7	51.0	48.0				
		31	15	9	19	0	1	31	29	38	28	11				

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和7年11月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	52.5	49.6	48.5	83.4	82.0	82.2	84.7	50.6	47.3	80.7	83.0	80.0	86.9	86.2	72.0	51.1	87.7	53.6	56.2	53.2
		48.7	47.9	47.8	68.7	68.9	67.8	70.1	48.4	49.3	68.0	67.7	66.6	72.5	71.2	58.7	52.5	72.7	49.5	50.6	51.0
		3	1	2	100	100	77	81	0	1	140	95	77	64	96	19	10	79	6	37	22
No. 2	新馬場地区	42.1	40.6	46.0	81.5	79.3	70.7	75.4	42.7	43.5	76.8	74.7	73.1	71.4	76.1	58.1	42.3	75.3	46.3	50.2	54.6
		43.4	42.6	42.3	66.8	65.3	63.1	69.0	69.7	66.9	70.2	62.7	62.0	61.9	63.2	50.8	59.5	62.0	46.8	47.8	50.7
		1	3	1	136	38	101	146	36	63	135	121	89	76	90	8	3	121	3	6	36
No. 3	末永地区	47.0	44.0	48.9	76.2	75.0	73.8	74.1	63.5	37.3	76.6	74.3	74.9	74.8	77.7	55.3	53.6	73.9	53.4	51.4	47.2
		32.9	28.1	31.3	62.0	60.0	59.4	59.9	49.8	24.9	61.7	61.0	61.4	60.5	62.1	40.5	39.2	59.8	39.8	36.7	33.3
		0	0	1	97	91	78	86	1	0	100	95	57	40	79	3	2	86	1	2	0
No. 4	西畦原地区 たぶのき	44.9	-	-	61.3	56.4	58.5	60.9	-	-	62.5	57.3	68.7	71.3	72.8	-	-	73.6	56.8	52.7	52.5
		26.9	-	-	48.0	42.7	45.2	46.9	-	-	49.2	43.1	53.9	57.3	59.6	-	-	59.4	44.2	39.3	40.4
		1	0	0	9	8	11	9	0	0	19	9	27	17	22	0	0	45	7	2	3
No. 5	湯風呂地区 岩脇地区	-	-	-	68.6	66.4	66.7	69.8	-	-	67.8	69.9	52.9	56.2	76.4	69.3	48.3	71.1	45.3	-	-
		-	-	-	54.5	53.3	53.5	57.9	-	-	55.3	53.0	40.1	45.5	64.5	55.6	35.0	57.4	33.0	-	-
		0	0	0	40	38	29	39	0	0	56	24	3	5	29	2	2	25	1	0	0

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日		最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	53.7	51.8	50.6	48.3	53.4	52.1	86.1	84.4	51.7	49.9		108.1	1,299	43.3	80.6
		49.3	48.5	48.9	54.4	49.4	48.9	71.4	70.2	48.5	47.5					
		6	7	6	3	5	3	123	132	2	2					
No. 2	新馬場地区	51.7	41.7	42.9	46.9	37.3	43.2	79.8	76.7	44.2	51.8		103.4	1,549	51.6	73.0
		55.0	63.3	42.5	47.5	48.2	73.2	65.2	62.8	68.5	46.9					
		36	13	0	5	10	2	108	122	36	4					
No. 3	末永地区	46.4	45.8	47.1	40.4	46.6	43.4	75.1	76.4	58.2	61.9		101.1	1,035	34.5	71.5
		33.0	32.5	31.6	27.1	31.3	28.5	60.0	61.0	42.6	44.9					
		0	0	0	0	0	0	90	122	2	2					
No. 4	西畦原地区 たぶのき	49.3	-	-	-	-	52.1	75.2	73.4	46.4	-		93.9	311	10.4	66.2
		36.9	-	-	-	-	40.0	61.4	59.4	36.0	-					
		2	0	0	0	0	2	66	51	1	0					
No. 5	湯風呂地区 岩脇地区	48.0	-	-	-	-	-	78.0	79.1	-	-		105.4	401	13.4	69.3
		37.1	-	-	-	-	-	63.0	65.9	-	-					
		1	0	0	0	0	0	56	51	0	0					

No. 4 の騒音測定機は12日以降、西畦原地区→たぶのき住宅に移設

No. 5 の騒音測定機は12日以降、湯風呂地区→岩脇地区に移設

新田原飛行場周辺の航空機騒音状況

上段 : WECPNLの値
中段 : Ldenの値
下段 : 騒音発生回数

令和7年12月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	機器不具合の為、不測																			
No. 2	新馬場地区	77.5	80.3	76.0	76.3	75.9	78.7	76.2	64.1	79.0	78.5	73.9	73.7	39.7	40.2	78.1	77.0	0.0	0.0	0.0	0.0
		64.4	65.4	63.5	63.7	62.2	65.7	70.1	59.6	65.0	66.9	59.6	60.8	48.0	54.5	67.4	64.3	0.0	0.0	0.0	0.0
		106	126	163	124	107	104	68	32	136	129	54	89	3	8	128	122	0	0	0	0
No. 3	末永地区	73.6	72.8	85.6	83.0	85.3	87.4	88.3	50.4	74.1	77.1	73.2	72.7	47.1	43.4	77.3	76.7	0.0	0.0	0.0	0.0
		60.1	58.3	67.9	65.2	68.7	70.6	71.6	35.6	59.3	61.7	58.9	59.0	31.8	29.3	63.0	61.5	0.0	0.0	0.0	0.0
		106	85	109	99	71	56	54	0	74	100	68	72	0	0	121	109	0	0	0	0
No. 4	たぶのき	76.4	68.5	79.0	74.3	77.5	78.8	78.7	46.0	71.4	73.6	70.9	64.9	-	-	73.4	78.8	75.5	73.1	67.3	-
		62.1	53.8	62.6	58.8	61.5	63.5	63.0	31.5	56.6	58.5	59.5	49.0	-	-	61.3	65.4	62.6	60.0	52.8	-
		57	13	58	27	38	30	27	1	27	13	35	10	0	0	25	43	55	14	12	0
No. 5	岩脇地区	78.7	81.7	71.5	67.8	76.9	79.4	70.1	-	81.2	79.1	71.9	75.3	-	-	79.7	81.5	72.8	75.4	76.0	-
		64.3	69.5	56.3	52.6	62.3	63.5	55.4	-	67.8	66.4	56.8	62.7	-	-	66.1	68.0	57.9	63.7	62.9	-
		58	39	48	30	39	20	0	36	40	39	17	0	0	48	47	38	25	16	0	0
No. 6	八幡地区	測定機移設・調整のため不測																67.0	71.0	42.8	
																		51.6	57.4	33.7	
																		17	32	0	
No. 7	新田新町地区	測定機移設・調整のため不測																68.4	71.3	45.0	
																		54.4	55.9	31.5	
																		40	63	0	

No.	測定地点場所	2 1日	2 2日	2 3日	2 4日	2 5日	2 6日	2 7日	2 8日	2 9日	3 0日	3 1日	最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	機器不具合の為、不測														
No. 2	新馬場地区	測定機移設・調整のため不測											102.8	1,499	93.7	76.5
No. 3	末永地区	測定機移設・調整のため不測											109.0	1,124	70.3	81.8
No. 4	たぶのき	-	73.3	76.2	76.4	75.2	-	-	-	-	-	-	98.9	587	22.6	74.4
		-	59.0	62.3	63.7	60.2	-	-	-	-	-	-				
		0	17	25	47	13	0	0	0	0	0	0				
No. 5	岩脇地区	-	79.4	82.8	77.3	72.6	-	-	-	-	-	-	104.4	655	25.2	77.1
		-	66.0	68.6	64.8	58.6	-	-	-	-	-	-				
		15	50	29	1	0	0	0	0	0	0	0				
No. 6	八幡地区	49.3	81.4	84.5	87.5	83.4	0.0	0.0	0.0	0.0	0.0	0.0	107.5	304	38.0	81.8
		36.0	67.5	70.7	72.7	68.9	0.0	0.0	0.0	0.0	0.0	0.0				
		0	52	117	70	16	0	0	0	0	0	0				
No. 7	新田新町地区	51.3	74.8	82.6	76.5	72.0	0.0	0.0	0.0	0.0	0.0	0.0	96.4	453	56.6	75.6
		36.8	60.4	69.1	63.5	57.6	0.0	0.0	0.0	0.0	0.0	0.0				
		2	75	162	93	18	0	0	0	0	0	0				

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和8年1月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	機器不具合の為、不測																			
No. 2	新田新町地区	53.7	50.3	51.7	45.7	45.1	79.7	79.6	76.2	75.2	44.8	55.4	51.6	75.4	73.2	74.8	79.1	46.4	49.5	80.3	78.7
		41.8	35.8	35.9	31.7	32.2	65.5	67.2	62.3	60.1	31.1	44.0	37.0	59.9	58.1	60.0	65.3	32.2	34.2	65.9	65.1
		1	1	1	0	0	98	109	113	80	0	1	2	93	78	83	99	0	0	123	98
No. 3	八幡地区	44.7	39.9	44.7	42.4	40.8	78.0	86.4	84.0	82.3	42.2	46.3	39.6	69.4	73.0	81.8	79.2	32.7	36.6	85.2	81.5
		30.5	28.3	31.8	28.8	29.0	63.3	73.9	70.2	69.0	30.4	31.3	29.1	55.3	59.2	67.9	65.2	20.9	26.4	70.4	66.6
		0	0	0	0	0	73	86	74	44	0	0	0	61	45	63	69	0	0	98	96
No. 4	たぶのき	-	-	-	-	-	71.2	78.0	73.7	66.7	-	-	0.0	73.9	64.2	76.6	69.1	-	-	76.8	73.9
		-	-	-	-	-	56.9	64.2	57.7	51.7	-	-	-	60.8	49.5	61.4	57.0	-	-	63.4	58.5
		-	-	-	-	-	16	39	20	19	0	0	0	51	10	45	14	0	0	52	25
No. 5	岩脇地区	-	-	-	-	50.9	75.7	81.8	77.2	70.2	45.9	-	-	71.6	75.6	74.8	76.5	-	-	80.0	80.5
		-	-	-	-	36.6	63.5	68.5	63.3	56.6	33.5	-	-	56.0	63.1	58.3	63.7	-	-	66.5	67.0
		-	-	-	-	1	30	54	49	31	1	0	0	43	25	52	22	0	0	47	53

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日		最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	機器不具合の為、不測							47.1	76.9	74.9		96.6	機器不具合の為、不測		73.0
									43.1	63.0	61.7					
									0	83	57					
No. 2	新田新町地区	72.2	69.2	75.1	53.1	51.9	76.5	75.1	70.5	73.0	70.6		102.7	1,582	51.0	74.0
		57.7	54.9	59.4	38.0	37.0	62.0	60.9	55.7	58.0	56.0					
		75	69	77	1	0	113	81	49	79	57					
No. 3	八幡地区	66.6	69.8	82.1	43.9	42.1	78.9	83.5	73.2	75.5	71.4		106.8	1,114	35.9	78.5
		52.1	56.2	67.9	31.3	31.0	64.7	69.4	60.6	60.3	56.4					
		46	44	47	0	0	89	61	34	42	41					
No. 4	たぶのき	69.0	64.6	64.0	-	-	65.2	76.4	64.0	60.0	64.9		97.5	393	12.7	70.2
		53.9	50.6	49.2	-	-	52.4	62.3	50.4	45.2	49.0					
		22	14	10	0	0	12	24	7	6	7					
No. 5	岩脇地区	63.9	70.9	71.6	-	49.1	79.8	79.9	75.1	74.0	74.3		104.0	587	18.9	74.6
		49.5	57.2	59.5	-	36.1	67.8	65.6	63.4	606.0	61.2					
		20	18	16	0	2	28	29	24	24	17					

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和8年2月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	48.6	92.3	78.0	78.7	84.6	71.1	49.8	47.3	80.3	72.3	54.1	78.6	76.7	51.4	47.9	80.0	82.0	不測	86.4	52.6
		46.5	76.8	63.6	66.2	69.4	56.9	49.8	47.4	66.7	59.3	52.7	65.5	64.2	48.8	48.3	68.2	69.3		71.8	48.5
		0	249	75	103	114	52	1	0	102	81	73	81	69	5	0	103	83		99	5
No. 2	新田新町地区	47.7	79.1	75.3	74.1	74.1	67.3	48.9	46.9	74.8	71.3	53.0	76.7	71.8	48.1	46.4	75.2	72.2	73.7	76.7	50.1
		33.8	64.6	60.9	59.7	60.4	52.3	33.2	33.2	61.1	56.6	41.8	62.3	57.1	33.8	35.0	60.3	58.4	59.0	63.5	37.2
		0	139	81	92	91	38	0	0	93	48	1	92	63	0	0	96	84	93	80	1
No. 3	八幡地区	42.6	85.7	78.5	76.2	76.7	72.9	45.0	43.5	79.6	65.0	43.3	78.6	73.8	46.9	36.6	76.5	78.3	76.4	76.6	53.7
		29.3	71.9	63.6	62.2	64.4	55.3	33.9	30.3	64.9	52.7	33.5	63.8	60.0	35.9	22.5	64.6	65.4	62.2	63.7	40.0
		0	89	60	66	64	24	0	0	60	27	0	61	32	0	0	77	65	64	50	2
No. 4	たぶのき	-	78.6	62.3	73.6	76.6	68.1	47.3	-	72.4	74.4	-	74.4	64.2	-	-	74.5	61.6	71.4	70.8	-
		-	63.8	47.6	58.2	63.1	54.4	35.6	-	58.3	62.2	-	58.9	48.1	-	-	59.9	48.6	55.8	56.6	-
		0	41	9	13	57	20	2	0	20	29	0	14	6	0	0	17	10	20	24	0
No. 5	岩脇地区	-	81.0	76.1	77.2	79.0	65.8	-	-	79.5	67.6	-	79.3	77.7	-	45.6	80.5	82.2	80.9	77.9	45.6
		-	65.4	62.6	64.8	64.7	51.9	-	-	64.4	52.3	-	67.0	64.9	-	34.0	68.9	69.9	67.6	65.5	32.3
		0	59	17	36	63	21	0	0	24	30	0	40	34	0	1	39	40	48	25	1

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日		最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	46.6	47.6	49.2	80.3	89.6	81.8	72.5	49.6	0.0	0.0		106.6	1,732	61.9	76.9
		48.1	49.8	46.3	67.3	76.2	67.9	59.5	48.1	0.0	0.0					
		9	10	1	136	169	74	28	10	0	0					
No. 2	新田新町地区	47.8	53.5	46.8	79.2	79.0	70.4	70.3	54.3	0.0	0.0		99.3	1,377	49.2	73.2
		32.5	38.7	32.0	65.0	65.7	56.6	56.4	38.3	0.0	0.0					
		0	3	0	94	121	60	6	1	0	0					
No. 3	八幡地区	50.2	35.3	30.8	81.3	80.9	76.6	81.4	36.3	0.0	0.0		106.6	974	34.8	76.9
		35.9	20.8	22.4	66.6	69.1	63.3	64.5	25.8	0.0	0.0					
		2	0	0	94	81	50	6	0	0	0					
No. 4	たぶのき	-	-	-	74.6	78.5	47.3	64.8	-	0.0	0.0		96.7	360	12.9	71.4
		-	-	-	59.0	64.9	34.0	53.1	-	0.0	0.0					
		0	0	0	30	46	1	1	0	0	0					
No. 5	岩脇地区	43.3	-	-	82.7	81.7	79.8	77.4	47.5	0.0	0.0		104.0	587	18.9	74.6
		30.1	-	-	68.9	69.3	67.4	62.4	36.8	0.0	0.0					
		1	0	0	66	49	34	17	2	0	0					

新田原飛行場周辺の航空機騒音状況

上段：WECPNLの値
中段：Ldenの値
下段：騒音発生回数

令和8年3月

No.	測定地点場所	1日	2日	3日	4日	5日	6日	7日	8日	9日	10日	11日	12日	13日	14日	15日	16日	17日	18日	19日	20日
No. 1	鬼付女地区	45.2	82.3	80.5	80.6	77.2	87.2	58.8	52.4	88.2	81.2	84.5	83.2	82.5	50.0	44.8	79.9	79.5	76.6	79.0	46.9
		45.5	67.8	66.3	67.0	64.9	70.9	49.7	47.6	73.2	67.8	70.4	69.4	68.6	48.0	46.8	66.8	67.2	63.0	65.8	48.1
		1	74	97	96	33	100	10	3	168	96	146	106	93	4	5	76	93	88	61	3
No. 2	新田新町地区	45.7	67.6	74.5	71.0	65.5	73.3	58.2	51.9	78.6	76.9	78.9	75.2	74.1	機器不具合の為、不測					71.7	45.0
		32.6	56.6	59.6	56.3	52.4	59.5	46.3	36.4	64.6	61.4	64.1	61.9	60.2						56.8	29.1
		0	21	71	66	30	56	5	1	111	99	124	90	75						44	0
No. 3	八幡地区	40.4	77.9	83.7	76.6	73.8	74.2	51.7	45.2	82.0	77.0	79.9	79.7	79.8	27.4	38.6	76.9	77.5	69.7	75.4	0.0
		25.9	64.5	69.1	63.6	60.0	62.3	39.4	30.8	67.6	63.6	67.1	66.2	65.0	18.7	28.2	62.8	64.0	56.2	62.7	—
		0	40	55	57	27	34	2	0	96	63	82	67	59	0	0	59	78	44	37	0
No. 4	たぶのき	—	47.0	74.1	66.3	59.7	74.5	49.3	—	75.5	57.5	67.1	59.0	61.6	—	—	63.3	74.1	76.0	73.4	—
		—	33.3	57.7	51.4	45.6	60.6	36.9	—	59.8	43.3	53.0	45.3	46.4	—	—	48.0	58.5	62.1	58.2	—
		0	1	30	13	3	36	1	0	21	8	18	5	11	0	0	9	19	53	14	0
No. 5	岩脇地区	46.1	81.5	78.5	79.9	76.3	74.5	49.2	51.3	83.2	78.4	82.6	79.0	78.5	—	—	78.4	80.7	76.1	79.7	—
		35.3	69.9	65.8	66.9	65.1	60.6	35.1	37.8	70.2	66.0	69.5	66.6	65.0	—	—	65.9	67.4	62.6	67.2	—
		1	31	31	27	17	21	2	3	45	24	39	31	25	0	0	24	41	40	26	0

No.	測定地点場所	21日	22日	23日	24日	25日	26日	27日	28日	29日	30日	31日	最高デジベル数 (d b)	騒音発生回数	1日平均騒音発生回数	W値平均 月平均
No. 1	鬼付女地区	50.5	48.9	83.0	83.5	80.3	80.2	49.3	46.3	57.5	74.2	83.7	106.9	1,872	60.4	80.7
		51.8	49.0	69.8	69.4	66.4	66.3	48.3	49.2	50.5	61.5	69.9				
		6	6	120	113	35	76	5	8	4	33	113				
No. 2	新田新町地区	46.2	44.0	74.9	76.5	69.4	70.3	46.6	44.1	55.9	58.7	75.8	96.8	1,102	84.8	74.1
		34.3	28.5	60.3	61.8	54.2	55.9	32.1	29.8	40.2	45.9	64.2				
		0	0	78	89	12	58	0	0	2	13	57				
No. 3	八幡地区	25.3	0.0	80.8	79.6	83.2	75.8	38.8	38.4	53.3	66.5	73.6	106.0	1,106	35.7	76.9
		15.6	—	66.8	65.8	66.0	62.6	27.2	25.8	41.5	54.5	60.0				
		0	0	89	97	11	57	0	0	4	9	39				
No. 4	たぶのき	—	—	63.6	66.5	—	56.5	—	—	—	55.4	77.3	97.6	328	10.6	69.1
		—	—	48.5	52.6	—	42.5	—	—	—	42.5	63.3				
		0	0	12	8	0	7	0	0	0	3	55				
No. 5	岩脇地区	—	—	80.3	81.3	78.7	80.8	—	—	52.8	69.4	84.3	104.4	596	19.2	78.2
		—	—	67.9	67.7	65.6	67.8	—	—	38.6	55.2	71.6				
		0	0	37	48	8	33	0	0	3	12	27				